

Die #	"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -25	1 1/4	1/4	39	1	13	—	1/8	1/32
R -225	1 1/4	3/8	48	3	12	1/8	1/8	1/8
R -745 .002 polyester	1 1/2	3/8	48	3	12	1/8	1/8	1/16
R -322	4 1/2	3/8	40	1	10	—	1/8	1/8
R -304 1/4# X 3/8#	7/32	13/32	40	2	10	1/8	3/32	
R -228	1 13/16	13/32	48	1	12	—	3/32	1/16
R -42	1/2	7/16	40	2	10	1/8	1/16	1/16
R -269	1 3/16	7/16	54	3	12	1/8	1/8	1/32
R -114	1 1/4	7/16	48	4	12	3/32	1/16	1/8
R -391 (RC28)	1 1/4	7/16	48	4	12	1/8	1/16	
R -109	2	7/16	40	1	10	—	1/16	1/8
R -74	2 3/4	7/16	40	1	10	—	1/16	1/8
R -137	3 1/2	7/16	48	1	12	—	1/16	1/8
R -260	3/4	1/2	44	2	8	1/8	3/16	1/8
R -260	3/4	1/2	44	2	8	1/8	3/16	1/8
R -657 (R6366)	7/8	1/2	45	3	9	1/8	1/8	1/8
R -412 (RC50)	1	1/2	50	2	10	1/8	1/8	
R -449	1 1/4	1/2	50	2	10	1/8	1/8	1/16
R -346	1 5/8#	1/2	40	2	8	1/8	1/8	1/32
R -7	2	1/2	50	2	10	1/8	1/8	1/8
R -319 Special Gap	2 5/16	1/2	48	1	6	—	1/2	1/64
R -230	3 1/2	1/2	40	1	8	—	1/8	1/8
R -94 *	4 1/2	19/32#	64	1	12	—		1/8
R -195	1 3/16	5/8	48	1	8	—	1/8	1/8
R -126	1 3/4	5/8	48	2	8	1/8	1/8	1/8
R -340	2	5/8	48	2	8	1/8	1/8	1/8
R -345	2	5/8	48	2	8	1/8	1/8	1/8
R -162	2 3/8	5/8	48	1	8	—	1/8	1/8
R -302	3 3/8	5/8	55	1	10	—	1/16	1/8
R -392 (RC29)	1 1/4	11/16	48	4	8	1/8	1/16	
R -492	9/16	3/4	56	4	8	1/8	1/8	1/64
R -623	3/4	3/4	42	3	6	1/8	1/8	1/8
R -707 poly #40 liner	3/4	3/4	42	4	6	1/8	1/8	1/8
R -716	1 3/16	3/4	40	1	5	--	1/4	1/8

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -405	(RC43)	1 1/4	3/4	48	4	7	1/8	7/64	
R -402	(RC40)	1 1/2	3/4	49	2	7	1/8	1/8	
R -540		2	3/4	49	1	7	---	1/8	1/8
R -536		2 1/4	3/4	56	2	8	1/8	1/8	1/8
R -563		2 1/2	3/4	56	2	8	1/8	1/8	1/32
R -564		2 1/2	3/4	56	2	8	1/8	1/8	7/64
R -578		2 3/8	0.787	59	1	8		0.135	1/8
R -216		3 3/4	13/16	60	1	8		1/8	1/8
R -34		1 1/4	7/8	40	3	5	1/8	1/8	1/16
R -203	*	1 3/8	7/8	48	4	6	1/8	1/8	1/16
R -59		1 1/2	7/8	40	3	5	1/8	1/8	1/8
R -727		4 5/8	7/8	48	1	6	1/8	1/8	1/8
R -64		7/8	15/16	40	4	5	1/8	1/16	1/8
R -387	(R-556) Cuts	1 1/4	15/16	48	4	6	1/8	1/16	1/16
R -556	(R-387) Paper	1 1/4	15/16	48	4	6	1/8	1/16	1/16
R -398	(RC36)	1 5/8	15/16	68	3	8	3/32	1/8	
R -89		2	15/16	40	1	5	—	1/16	1/8
R -62		2 1/2	15/16	48	1	6	—	1/16	1/8
R -76		2 3/4	15/16	48	1	6	—	1/16	1/8
R -127		3	15/16	48	1	6	—	1/16	1/8
R -130		3 1/4	15/16	48	1	6	—	1/16	1/8
R -65		3 1/2	15/16	48	1	6	—	1/16	1/8
R -143		3 3/4	15/16	48	1	6	—	1/16	1/8
R -83		4	15/16	48	1	6	—	1/16	1/8
R -31		4 1/2	15/16	40	1	5	—	1/16	1/8
R -144		5	15/16	40	1	5	—	1/16	1/8
R -50		5 3/8	15/16	40	1	5	—	1/16	1/8
R -69	*	6 9/16	15/16	48	1	6	—	1/16	1/8
R -640	*	7	15/16	96	1	12		1/16	1/16
R -372	(RC9)	1/2	1	54	10	6	1/8	1/8	
R -376	(RC13)	1	1	54	5	6	1/8	1/8	1/8
R -300		1 1/4	1	54	3	6	1/8	1/8	1/16
R -352		1 1/2	1	54	3	6	1/8	1/8	1/8
R -407	(RC45)	1 1/2	1	54	4	6	1/8	1/8	
R -224		2	1	72	2	8	1/8	1/8	1/8
R -685	poly #78 liner	2	1	45	2	5	1/8	1/8	1/8
R -764		2	1	45	2	5	1/8	1/8	1/16
R -282	*	2	1	57	3	6	1/4	3/16	1/8
R -438		2 1/2	1	54	1	6	----	1/8	1/8

Die #	"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -794	2 1/2	1	54	2	6	1/8	1/8	1/8
R -541	2 3/4	1	45	1	5	--	1/8	1/8
R -718 poly #40 liner	3	1	54	2	6	1/8	1/8	1/8
R -615	3 1/8	1	54	1	6	1/8	1/8	1/8
R -281 *	3 7/16	1	54	2	6	1/8	1/8	1/8
R -100	4	1	45	1	5	—	1/8	1/8
R -644	4	1	50	1	5	----	1/4	1/8
R -426	5 3/4	1	54	1	6			1/8
R -744	1/2	1 1/16	63	5	6	1/4	1/4	1/8
R -367 (RC4)	1/2	1 1/8	50	10	5	1/8	1/8	1/16
R -267	1 3/16	1 1/8	50	3	5	1/8	1/8	1/8
R -267B	1 3/16	1 1/8	50	3	5	1/8	1/8	1/8
R -421	1.205	1 1/8	50	1	5	----	1/8	3/16
R -263	1 7/8	1 1/8	50	2	5	1/8	1/8	1/8
R -598	2 3/8	1 1/8	40	2	4	1/8	1/8	1/16
R -82 *	3	1 1/8	50	2	5	1/8	1/8	1/8
R -148	3 1/2	1 1/8	48	1	4	—	3/8	1/8
R -77	5/8#	1 5/32#	48	1	4	—	1/3	5/16 #
R -95 *	3 3/4	1 3/16	50	1	5	—	1/16	1/8
R -217	3 3/4	1 3/16	63	1	6		1/8	1/8
R -112	5/16	1 1/4	44	3	4	1/8	1/8	1/8
R -688 #40 LINER	5/8	1 1/4	44	6	4	1/8	1/8	1/16
R -373 (RC10)	1	1 1/4	55	5	5	1/8	1/8	1/8
R -393 Off Center	1 1/4	1 1/4	66	4	6	1/8	1/8	
R -394	1 1/4	1 1/4	66	4	6	1/8	1/8	1/8
R -565 Cuts Static	1 1/4	1 1/4	66	4	8	1/8	1/8	1/8
R -384 (RC21)	1 5/16	1 1/4	54	4	5	1/8	3/32	1/8
R -459	1 5/16	1 1/4	54	4	5	1/8	3/32	1/8
R -432	1 5/16	1 1/4	44	6	4	1/16	1/8	3/32
R -184	1 1/2	1 1/4	44	3	4	1/8	1/8	1/8
R -377 (RC14)	1 19/32	1 1/4	55	3	5	1/8	1/8	
R -524	2 1/16	1 1/4	55	2	5	1/8	1/8	1/8
R -233	2 1/4	1 1/4	52	1	4	—	3/8	1/8
R -256	2 1/4	1 1/4	79	1	6	—	.39	1/8
R -173	2 1/4	1 1/4	55	2	5	1/8	1/8	1/8
R -386 (RC23)	2 5/8	1 1/4	54	2	5	5/8	7/64#	1/8
R -516	2 5/8	1 1/4	48	2	4	1/8	1/4	1/8
R -712	2 3/4	1 1/4	55	2	5	1/8	1/8	1/8
R -140	3 1/4	1 1/4	48	1	4	—	1/4	1/8

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -520		3 3/4	1 1/4	48	1	4	---	1/4	1/8
R -223		4	1 1/4	44	1	4		1/8	1/8
R -509	**	4	1 1/4	66	2	6	1/8	1/8	1/8
R -168		4 1/4	1 1/4	48	1	4	—	1/4	1/8
R -629	Film	4 1/4	1 1/4	48	1	4		1/4	1/8
R -740		4 1/4	1 1/4	60	1	5	--	1/4	1/8
R -22		5 1/4	1 1/4	48	1	4	—	1/4	1/8
R -320	** Aluminum Foil	8	1 1/4	66	1	6	—	1/8	1/8
R -519		4 1/2	1 5/16	48	1	4		3/16	1/8
R -182		1 3/8	1 3/8	48	3	4	1/8	1/8	1/8
R -14		1 7/8	1 3/8	48	2	4	1/8	1/8	1/8
R -713		1 7/8	1 3/8	48	2	4	1/8	1/8	1/8
R -699	.002poly/#40	2	1 3/8	49	2	4	1/8	1/8	1/8
R -769		2	1 3/8	60	2	5	1/8	1/8	1/8
R -129		2 1/16	1 3/8	48	2	4	1/8	1/8	1/8
R -548		2 1/2	1 3/8	48	2	4	1/8	1/8	1/8
R -155		3	1 3/8	48	1	4	—	1/8	1/8
R -73		1 1/16	1 7/16	52	3	4	1/8	3/16	1/8
R -97		2 1/4	1 7/16	48	1	4	—	1/16	1/8
R -60		2 1/2	1 7/16	48	1	4	—	1/16	1/8
R -177		2 1/2	1 7/16	50	2	4	1/8	1/8	1/8
R -61		2 3/4	1 7/16	48	1	4	—	1/16	1/8
R -5		3 1/2	1 7/16	48	1	4	—	1/16	1/8
R -79		4	1 7/16	48	1	4	—	1/16	1/8
R -408	(RC46)	3/8	1 1/2	52	2	4	1/8	1/8	
R -371	(RC8)	1/2	1 1/2	52	10	4	1/8	1/8	
R -368	(RC5)	3/4	1 1/2	52	7	4	1/8	1/8	1/16
R -399	(RC37)	15/16	1 1/2	52	5	4	1/8	1/8	
R -370	(RC7)	1	1 1/2	52	5	4	1/8	1/8	1/8
R -766		1 1/2	1 1/2	52	3	4	1/8	1/8	1/8
R -381	(RC18)	1 1/2	1 1/2	52	4	4	1/8	1/8	1/8
R -419	(RC33)	1 3/4	1 1/2	52	3	4	1/8	1/8	
R -257		2	1 1/2	52	3	4	1/8	1/8	1/8
R -165		2 1/2	1 1/2	52	1	4	—	1/8	1/8
R -562		2 1/2	1 1/2	52	2	4	1/8	1/8	1/8
R -192		3	1 1/2	48	1	3	—	1/2	1/8
R -226		3	1 1/2	52	2	4	1/8	1/8	1/8
R -714		3	1 1/2	65	2	5	1/8	1/8	1/8
R -501		4	1 1/2	52	1	4		1/8	1/8

(All Specs Are in Inches) #Approx Size *7.5" Press **10" Press ***13" Press Jul 3, 2015

Die #	"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -482 *	7	1 1/2	65	1	5		1/8	1/8
R -410 (RC48)	7/8	1 9/16	54	6	4	1/8	1/8	
R -567 *	1 9/16	1 9/16	54	4	4	1/8	1/8	1/16
R -291	2 1/4	1 9/16	54	2	4	1/8	1/8	1/16
R -375 (RC12)	1 1/4	1 19/32	55	4	4	1/8	1/8	
R -229	6 1/8	1 19/32	48	1	3	-	13/32	1/8
R -172	29/32	1 5/8	48	1	3	—	3/8	1/8
R -465	15/16	1 5/8	56	5	4	1/8	1/8	1/16
R -374 (RC11)	15/16	1 5/8	56	6	4	1/8	1/8	1/16
R -537	1	1 5/8	56	5	4	1/8	1/8	1/8
R -406 (RC44)	1 1/4	1 5/8	56	4	4	1/8	1/8	
R -579	1 1/2	1 5/8	56	3	4	1/8	1/8	1/8
R -581	1 1/2	1 5/8	56	3	4	1/8	1/8	1/16
R -18	2 1/2	1 5/8	56	2	4	1/2	1/8	1/8
R -98	2 1/2	1 5/8	47	2	3	1/8	1/3	1/8
R -279	2 1/2	1 5/8	62	2	4	1/2	5/16	1/16
R -19	3	1 5/8	56	1	4	—	1/8	1/8
R -643	3	1 5/8	56	2	4	1/8	1/8	1/8
R -247 *	6 1/8	1 5/8	56	1	4	—	1/8	1/8
R -116	2 9/32	1 11/16	85	2	6	3/32	5/64	1/8
R -222	3 1/2	1 11/16	48	1	3		5/16	1/8
R -113	2 5/8	1 23/32	58	2	4	1/8	3/32	1/16
R -1	5/8	1 3/4	48	5	3	1/8	1/4	1/16
R -409 (RC47)	11/16	1 3/4	60	8	4	1/8	1/8	
R -231	3/4	1 3/4	45	2	3	1/8	1/8	1/8
R -280	1 3/16	1 3/4	48	1	3	—	1/4	1/8
R -505 78# liner	1 3/4	1 3/4	60	1	4		1/8	1/8
R -547 40# Liner	1 3/4	1 3/4	60	1	4		1/8	1/8
R -308 Piggyback Top	2	1 3/4	48	1	3	—	1/4	3/32
R -747	2 1/8	1 3/4	60	2	4	1/8	1/8	1/8
R -250	2 1/4	1 3/4	64	2	4	1/8	1/4	1/8
R -103	2 3/4	1 3/4	48	1	3	—	1/4	1/8
R -711	2 3/4	1 3/4	45	2	3	1/8	1/8	1/8
R -323 Aluminum Foil	3	1 3/4	60	1	4	—	1/8	1/8
R -622	3	1 3/4	48	2	3	1/8	1/4	1/16
R -271	4	1 3/4	48	1	3	—	1/4	1/8
R -210	1 9/16	1 51/64	45	2	3	1/16	5/64	1/8
R -117	3/8	1 13/16	48	2	3	1/8	3/16	1/8
R -273	2 1/2	1 13/16	48	2	3	1/8	3/16	1/32

(All Specs Are in Inches) #Approx Size *7.5" Press **10" Press ***13" Press Jul 3, 2015

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -105	VHS Top	3	1 13/16	62	1	4	—	1/8	1/16
R -142	*	3	1 13/16	62	2	4	1/8	1/8	1/16
R -142	* spare die	3	1 13/16	62	2	4	1/8	1/8	1/16
R -237	*	3 1/2	1 13/16	62	2	4	1/8	1/8	1/16
R -176		4 7/8	1 13/16	48	1	3	—	3/16	1/8
R -178	*	4 7/8	1 13/16	48	1	3	—	3/16	1/8
R -14A		1 3/8	1 7/8	48	3	3	1/8	1/8	1/8
R -171		1 7/8	1 7/8	48	3	3	1/8	1/8	1/8
R -369	(RC6).Sq.	1 7/8	1 7/8	48	3	3	1/8	1/8	1/64
R -466		1 7/8	1 7/8	48	3	3	1/8	1/8	1/8
R -45		2 1/2	1 7/8	48	1	3	—	1/8	1/8
R -99		2 1/2	1 7/8	70	2	4	1/8	5/16	1/8
R -46		2 5/8	1 7/8	48	2	3	1/8	1/8	1/16
R -136	VHS Top	3	1 7/8	48	1	3	—	1/8	1/8
R -91	*	3	1 7/8	48	2	3	1/8	1/8	1/8
R -81		4	1 7/8	48	1	3	—	1/8	1/8
R -208	**	4	1 7/8	64	2	4	1/8	1/8	1/8
R -147		5	1 7/8	48	1	3	—	1/8	1/8
R -382	(RC19)	1	1 15/16	50	5	3	1/8	.146	
R -268		1 3/16	1 15/16	48	3	3	1/8	1/16	1/8
R -460		3	1 15/16	48	1	3		1/16	1/18
R -41		3 1/2	1 15/16	48	1	3	—	1/16	1/8
R -101		4	1 15/16	48	1	3	—	1/16	1/8
R -385	(RC22)	6	1 15/16	48	1	3	---	1/16	
R -468		1 3/32	1 31/32	69	4	4	1/8	0.1875	1/16
R -181		2 5/8	1.995	68	2	4	1/8	.13	1/8
R -618		2.82	1.995	68	2	4	1/8	0.13	1/8
R -255	For thicker liner	1	2	68	3	4	1/8	1/8	1/8
R -357		1	2	68	4	4	1/8	1/8	1/8
R -365	(RC2)	1	2	51	5	3	1/8	1/8	3/32
R -383	(RC20)	1 1/2	2	51	3	3	1/8	1/8	
R -425		2	2	51	2	3	1/8	1/8	11/64
R -593	** Proph. Flex	2	2	88	4	5	1/8	0.2	1/8
R -315		2 1/4	2	51	2	3	1/8	1/8	1/8
R -307		3	2	51	2	3	1/8	1/8	1/8
R -785***	ETI	3 1/8	2	102	3	6	1/8	1/8	1/8
R -799***	2 Ply Dunnrite	3 1/4	2	102	3	6	1/8	1/8	1/8
R -324	*	3 7/16	2	68	2	4	1/8	1/8	1/8
R -341		3 1/2	2	88	1	5	1/8	1/5	3/16

(All Specs Are in Inches) #Approx Size *7.5" Press **10" Press ***13" Press Jul 3, 2015

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -141	* Paper Only	3 1/2	2	88	2	5	1/8	1/5	3/16
R -639	Flex RCR	3 5/8	2	88	2	5	1/8	.2	1/8
R -453		4	2	51	1	3	---	1/8	1/8
R -454	Alum. Foil	4	2	54	1	3	---	1/4	1/8
R -205		4 1/4	2	52	1	3	—	21/64 #	1/8
R -314		4 1/2	2	51	1	3	—	1/8	1/8
R -614	**	4 3/4	2	68	2	4	1/8	1/8	1/8
R -801***	ETI Flex	5 7/8	2	88	2	5	1/8	0.2	1/8
R -525		1 1/4	2 1/16	54	2	3	1/8	3/16	1/8
R -121		2 5/8#	2 1/16#	70	2	4	1/8	1/8#	3/32
R -549		2 5/8	2 1/16	70	2	4	1/8	1/8	1/16
R -552		1	2 1/8	78	4	4	1/8	0.3125	1/8
R -85		3	2 1/8	54	1	3	—	1/8	1/8
R -573		3 1/2	2 1/8	54	1	3		1/8	1/8
R -461		3 3/4	2 1/8	54	1	3		1/8	1/8
R -452	* Alum. Foil	5 3/4	2 1/8	54	1	3	---	1/8	1/8
R -489		1 7/16	2 3/16	56	4	3	1/8	0.1458	1/8
R -336	** 4up Diff Gap	3 15/16	2 3/16	88	1	2	1/8	3/4 1/8	1/64
R -792		1 3/4	2 1/4	57	3	3	1/8	1/8	1/8
R -132A		2 1/2	2 1/4	57	2	3	1/8	1/8	1/8
R -132B	*	2 1/2	2 1/4	57	2	3	1/8	1/8	1/8
R -495		2 3/4	2 1/4	57	2	3	1/8	1/8	1/8
R -619		3 1/2	2 1/4	57	1	3		1/8	1/8
R -305		5	2 1/4	69	1	3	—	5/8	1/8
R -40	*	6	2 1/4	40	1	2	—	1/4	1/8
R -232	**	8 3/4	2 1/4	80	1	4	—	1/4	1/8
R -266		2 1/4	2 3/8	64	2	3	1/8	.292	1/8
R -303		2 3/8	2 3/8	60	2	3	1/8	1/8	1/16
R -26		3 1/2	2 3/8	40	1	2	—	1/8	1/8
R -270		3 7/8	2 3/8	60	1	3	—	1/8	1/8
R -104		4	2 3/8	40	1	2	—	1/8	3/16
R -515		4 1/2	2 3/8	60	1	3		1/8	1/8
R -209		5	2 3/8	60	1	3		1/8	1/8
R -39	*	6	2 3/8	40	1	2	—	1/8	1/8
R -47		3	2 7/16	40	1	2	—	1/16	1/8
R -514	**	3 7/16	2 7/16	82	2	4	1/8	0.1255	1/4
R -75		1 1/2	2 1/2	42	2	2	1/8	1/8	1/8
R -259		1 7/8	2 1/2	43	2	2	1/8	3/16	1/8
R -415	(RC53)	2 1/2	2 1/2	42	2	2	1/8	1/8	

(All Specs Are in Inches) #Approx Size *7.5" Press **10" Press ***13" Press Jul 3, 2015

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -788*		2 5/8	2 1/2	57	2	3	1/8	1/8	1/8
R -207		3	2 1/2	63	2	3	1/8	1/8	1/8
R -521 *		3 1/4	2 1/2	63	2	3	1/8	1/8	1/8
R -325		3 3/4	2 1/2	66	1	3	—	1/4	1/8
R -447		4	2 1/2	63	1	3	-----	1/8	1/8
R -333		4 15/64	2 1/2	63	1	3	1/8	1/8	1/8
R -238 **		4 15/64	2 1/2	63	2	3	1/8	1/8	1/8
R -131		4 1/2	2 1/2	42	1	2	—	1/8	1/8
R -183		4 1/2	2 1/2	42	1	2	—	1/8	1/8
R -258		4 1/2	2 1/2	48	1	2	—	1/2	3/8
R -331		4 15/16	2 1/2	63	1	3	1/8	1/8	1/8
R -311		5 1/2	2 1/2	63	1	3	—	1/8	1/8
R -204		1 3/32	2 5/8	44	4	2	3/32	1/8	1/8
R -206	Gloss Only	1 5/8	2 5/8	66	2	3	1/8	1/8	1/8
R -437	Film Only	1 5/8	2 5/8	66	2	3	1/8	1/8	1/8
R -90		2	2 5/8	44	2	2	1/8	1/8	1/8
R -21		2 1/2	2 5/8	66	2	3	1/8	1/8	1/8
R -96		2 5/8	2 5/8	44	2	2	1/8	1/8	1/8
R -242		4	2 5/8	48	1	2	—	3/8	1/8
R -235		5 9/16	2 5/8	66	1	3	—	1/8	1/8
R -356 *		6 1/2	2 5/8	66	1	3	---	1/8	1/8
R -293		1 1/2	2 11/16	66	2	3	1/8	1/16	1/4
R -602		1 5/8	2 3/4	69	3	3	1/8	1/8	1/8
R -529 **		2 3/4	2 3/4	69	3	3	1/8	1/8	1/8
R -49 *		3	2 3/4	69	2	3	1/8	1/8	1/8
R -751		3 3/8	2 3/4	69	1	3	--	1/8	1/8
R -446 **		3 11/16	2 3/4	72	2	3	3/32	1/4	1/8
R -2		13/16	2 7/8	48	4	2	1/8	1/8	1/8
R -67	6" Stock for	1	2 7/8	48	4	2	DIFF	1/8	1/8
R -710		1 3/8	2 7/8	48	1	2	--	1/8	1/8
R -635		1 3/8	2 7/8	48	2	2	1/8	1/8	1/8
R -4		1 7/8	2 7/8	48	2	2	1/8	1/8	1/8
R -244		2 5/16	2 7/8	48	2	2	1/8	1/8	1/8
R -3		3 3/4	2 7/8	48	1	2	—	1/8	1/8
R -378	(RC15)	4	2 7/8	48	1	2	---	1/8	
R -444	Poly Material	4	2 7/8	48	1	2	---	1/8	1/8
R -151		4 1/4	2 7/8	48	1	2	—	1/8	1/8
R -20		4 3/4	2 7/8	48	1	2	—	1/8	1/8
R -169		5	2 7/8	48	1	2	—	1/8	1/8

(All Specs Are in Inches) #Approx Size *7.5" Press **10" Press ***13" Press Jul 3, 2015

Die #	"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -395 (RC32)	5	2 7/8	48	1	2	---	1/8	
R -87 *	6 1/2	2 7/8	48	1	2	—	1/8	1/8
R -133	3	2 15/16	48	1	2	—	1/16	1/8
R -110	4	2 15/16	48	1	2	—	1/16	1/8
R -749	4	2 15/16	48	1	2	--	1/16	1/8
R -58	5	2 15/16	48	1	2	—	1/16	1/8
R -167	5	2 15/16	50	1	2	—	3 /16	1/8
R -658 (R6296) POLY	1	3	50	4	2	1/8	1/8	1/8
R -422	1 1/2	3	51	2	2	1/8	3/16	1/8
R -71	1 1/2	3	50	3	2	1/8	1/8	1/8
R -532	1 1/2	3	53	3	2	1/8	0.313	3/32
R -358	1 13/16	3	50	2	2	1/8	1/8	1/8
R -13	2	3	50	2	2	1/8	1/8	1/8
R -251	2 1/4	3	52	2	2	1/8	1/4	1/8
R -717	2 1/4	3	50	2	2	3/16	1/8	1/8
R -48	2 3/8	3	50	2	2	1/8	1/8	1/8
R -274	2 9/16	3	50	2	2	1/8	1/8	1/8
R -86 *	3	3	50	2	2	1/8	1/8	1/8
R -531 **	3	3	75	2	3	1/8	1/8	1/8
R -522	3 7/8	3	52	1	2		1/4	1/8
R -219 For Synthetic	4	3	50	1	2		1/8	1/8
R -219 For Paper	4	3	50	1	2		1/8	1/8
R -249 **	4	3	100	2	4	1/8	1/8	1/8
R -157	4 1/2	3	50	1	2	—	1/8	1/8
R -642	5	3	50	1	2		1/8	1/8
R -276	5 3/16	3	50	1	2	—	1/8	1/8
R -478	1 13/16	3 1/16	52	2	2	5/8	3/16	1/8
R -553	2 1/16	3 1/16	52	2	2	1/8	3/16	1/8
R -252	1 3/4	3 1/8	52	2	2	1/8	1/8	1/8
R -84	2 3/16	3 1/8	52	1	2	—	1/8	1/32
R -218	3 5/16	3 1/8	52	1	2		1/4	3/4
R -401 (RC39)	3 7/8	3 1/8	52	1	2	---	1/8	
R -120	2 11/16#	3 5/32#	52	2	2	1/8	3/32	5/64
R -645	1 1/2	3 3/16	53	3	2	1/8	1/8	1/8
R -111	1 13/16	3 3/16	52	3	2	1/8	1/16	1/16
R -364 (RC1)	1 13/16	3 3/16	52	3	2	1/4	1/16	
R -631	1 13/16	3 3/16	53	3	2	1/8	0.1255	1/8
R -500 *	1 15/16	3 3/16	81	3	3	3/16	3/16	1/8
R -768	1 3/8	3 1/4	81	2	3	1/8	1/8	1/8

(All Specs Are in Inches) #Approx Size *7.5" Press **10" Press ***13" Press Jul 3, 2015

Die #	"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -763	2 5/8	3 1/4	54	2	2	1/8	1/8	1/8
R -337	2 11/16	3 1/4	56	2	2	1/8	1/4	1/8
R -23	2 7/8	3 1/4	54	1	2	—	1/8	1/8
R -264	3 1/8	3 1/4	54	2	2	1/8	1/8	1/8
R -647 *	3 3/8	3 1/4	54	2	2	1/8	1/8	1/8
R -43	4	3 1/4	54	1	2	—	1/8	1/8
R -414 (RC52)	4 1/8	3 1/4	54	1	2	---	1/8	1/8
R -703	4 1/8	3 1/4	54	1	2	--	1/8	1/8
R -403 (RC41)	4 1/2	3 1/4	54	1	2	---	1/8	
R -496	5	3 1/4	62	1	2		5/8	1/8
R -139	2 43/64#	3 9/32#	54	2	2		17/200#	1/16
R -490	2 1/4	3 3/8	56	2	2	1/8	1/8	1/8
R -33	2 3/8	3 3/8	56	2	2	1/4	1/8	1/8
R -706	2 3/4	3 3/8	56	2	2	1/8	1/8	1/8
R -28	3 1/2	3 3/8	56	1	2	—	1/8	1/8
R -317 *** Not Available	3 3/4	3 3/8	58	1	2	—	1/4	1/8
R -572	4	3 3/8	56	1	2		1/8	1/8
R -107	4 1/2	3 3/8	56	1	2	—	1/8	1/8
R -55	5 5/8	3 3/8	56	1	2	—	1/8	1/8
R -434	3	3 15/32	58	1	2	----	5/32	1/4
R -681	3/8	3 1/2	58	4	2	1/8	1/8	1/8
R -441	1 3/32	3 1/2	59	4	2	1/8	.188	1/16
R -328	1 1/8	3 1/2	59	2	2	1/8	3/16	5/64
R -474	1 13/32	3 1/2	88	3	3	1/8	0.166	1/16
R -149	1 1/2	3 1/2	58	3	2	1/8	1/8	1/8
R -484	1 7/8	3 1/2	60	2	2	1/4	1/4	1/16
R -701 #40 LINER	1 7/8	3 1/2	59	2	2	1/8	3/16	1/8
R -448	2 1/8	3 1/2	58	1	2	---	1/8	1/8
R -462	2 5/8	3 1/2	58	2	2	1/8	1/8	1/16
R -36	3 1/4	3 1/2	58	1	2	—	1/8	1/8
R -297 *	3 1/2	3 1/2	58	2	2	1/8	1/8	1/8
R -312 *	6 1/2	3 1/2	58	1	2	—	1/8	1/8
R -400 (RC38)	1 3/8	3 9/16#	58	3	2	1/8	1/16#	
R -9	1 3/4	3 9/16	59	1	2	—	1/8	1/8
R -767	2 1/4	3 9/16	60	2	2	1/8	3/16	1/8
R -339 *	2 1/4	3 9/16	62	3	2	1/8	5/16	1/32
R -265	3 9/16	3 9/16	58	1	2	—	1/16	1/8
R -134	5 3/16#	3 9/16#	64	1	2	—	7/16#	5/32
R -245	5 3/8	3 9/16	64	1	2	—	7/16	1/8

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -220		1	3 5/8	59	3	2	1/8	1/16	1/8
R -366	(RC3)	1	3 5/8	60	4	2	1/8	1/8	1/16
R -765		1 1/4	3 5/8	60	1	2	--	1/8	1/8
R -123		3	3 5/8	60	2	2	1/8	1/8	1/8
R -555	**	3	3 5/8	90	2	3	1/8	1/8	1/8
R -277		5 3/16	3 5/8	60	1	2	—	1/8	1/8
R -27		4 13/16	3 11/16	64	1	2	—	5/16	3/16
R -275	For #90 ONLY	1 1/8	3 3/4	62	4	2	1/8	1/8	1/8
R -292	For Paper	1 1/8	3 3/4	62	4	2	1/8	1/8	1/8
R -292		1 1/8	3 3/4	62	4	2	1/8	1/8	1/8
R -284		1 3/8	3 3/4	62	2	2	1/8	1/8	1/8
R -603	**	1 3/8	3 3/4	96	2	3	1/8	1/4	1/8
R -698		1 7/8	3 3/4	62	2	2	1/8	1/8	1/8
R -759		1 7/8	3 3/4	62	2	2	1/8	1/8	1/8
R -161		2 5/8	3 3/4	64	2	2	1/8	1/4	1/16
R -433	*	3 1/4	3 3/4	62	2	2	1/8	1/8	1/8
R -404	(RC42)	5	3 3/4	62	1	2	---	1/8	
R -539	*** ETI FLEX	5	3 3/4	128	2	4	1/4	1/4	1/8
R -138	*	6 1/4	3 3/4	62	1	2	—	1/8	1/8
R -138	*	6 1/4	3 3/4	62	1	2	—	1/8	1/8
R -78		25/32	3 7/8	64	1	2	—	1/8	1/8
R -483		1 5/16	3 7/8	64	4	2	1/8	1/8	1/8
R -457		1 3/4	3 7/8	64	3	2	1/8	1/8	1/8
R -227		2 5/16	3 7/8	64	2	2	1/8	1/8	1/8
R -613		2 5/8	3 7/8	64	2	2	1/8	1/8	1/8
R -124		2 7/8	3 7/8	64	2	2	1/8	1/8	1/8
R -491	**	3 11/16	3 7/8+	64	2	2	1/8	1/8	1/8
R -51		4	3 7/8	64	1	2	—	1/8	1/32
R -589	**	4 1/2	3 7/8	96	2	3	1/8	1/8	1/8
R -38		5	3 7/8	64	1	2	—	1/8	1/8
R -599		5 7/8	3 7/8	64	1	2		1/8	1/8
R -93	*	6	3 7/8	64	1	2	—	1/8	1/8
R -440		1 9/32	3 15/16	64	4	2	1/8	1/16	1/8
R -15		1 1/2	3 15/16	33	2	1	1/8	3/16	1/8
R -30		1 7/8	3 15/16	65	2	2	1/8	1/8	1/16
R -569		2 9/32	3 31/32	66	2	2	1/8	5/32	1/8
R -10		1	4	33	1	1	—	1/8	1/8
R -10A		1	4	33	4	1	1/8	1/8	1/8
R -327		1 1/4	4	66	4	2	1/8	1/8	1/8

Die #	“AC	“AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -595	1 3/8	4	66	3	2	1/8	1/8	1/8
R -720	1 1/2	4	66	2	2	1/8	1/8	1/8
R -29	1 11/16	4	66	2	2	1/8	1/8	1/8
R -761	1 3/4	4	66	3	2	1/8	1/8	1/16
R -108	1 7/8	4	66	2	2	1/8	1/8	1/8
R -791	1 7/8	4	66	3	2	1/8	1/8	1/8
R -332	2	4	66	1	2	—	1/8	1/8
R -12	2	4	66	2	2	1/8	1/8	1/8
R -479	2 1/8	4	67	2	2	3/16	3/16	1/8
R -318	2 1/4	4	66	2	2	1/8	1/8	1/8
R -550	2 1/4	4	69	2	2	1/8	0.313	1/8
R -691	2 1/2	4	66	2	2	1/8	1/8	1/8
R -146	3	4	66	1	2	1/8	1/8	1/8
R -628	3	4	66	2	2	1/8	1/8	1/8
R -660 **	3 5/8	4	66	2	2	1/8	1/8	1/8
R -326	4	4	68	1	2	—	1/4	1/8
R -389 (RC26)	4	4	66	1	2	---	1/8	1/8
R -153 Thermal Only	4	4	66	1	2		1/8	1/8
R -498 **	4	4	66	2	2	1/8	1/8	1/8
R -442	6	4	66	1	2		1/8	1/8
R -518	2 3/8	4 1/16	67	2	2	1/8	1/8	1/8
R -617	3.5	4.167	69	1	2		0.146	1/64
R -236	2 1/4	4 1/4	70	2	2	1/8	1/8	1/8
R -125	2 5/8	4 1/4	70	2	2	1/8	1/8	1/16
R -350	3	4 1/4	70	2	2	1/8	1/8	1/8
R -774	3 9/16	4 1/4	70	1	2		1/87	1/8
R -502	4	4 1/4	70	1	2		1/8	1/8
R -348	4 1/4	4 1/4	70	1	2	---	1/8	1/8
R -506 **	4 1/4	4 1/4	70	2	2	1/8	1/8	1/8
R -732	1	4 5/16	72	3	2	1/8	3/16	1/8
R -156 Heavy Liner	1 15/16	4 3/8	72	1	2	—	1/8	1/8
R -166	3 1/4	4 3/8	72	1	2	—	1/8	1/8
R -546 *	3 1/4	4 3/8	72	2	2	1/8	1/8	1/8
R -164 *	1 1/2	4 1/2	74	3	2	1/8	1/8	1/8
R -283	1 13/16	4 1/2	74	2	2	1/8	1/8	1/8
R -24	1 7/8	4 1/2	37	2	1	1/4	1/8	1/8
R -604 **	1 7/8	4 1/2	74	2	2	1/8	1/8	1/8
R -702	2	4 1/2	76	1	2	--	1/4	1/8
R -248 *	2	4 1/2	74	3	2	1/8	1/8	1/8

Die #	“AC	“AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -517	2 1/8	4 1/2	74	2	2	1/8	1/8	1/8
R -571	2 1/8	4 1/2	74	2	2	1/8	1/8	1/8
R -11	2 1/4	4 1/2	74	1	2	—	1/8	1/8
R -600	2 1/2	4 1/2	74	2	2	1/8	1/8	1/8
R -668	2 1/2	4 1/2	74	2	2	1/8	1/8	1/8
R -194	2 3/4	4 1/2	74	2	2	1/8	1/8	1/8
R -211	3	4 1/2	74	2	2	1/8	1/8	1/8
R -128 *	3 3/8	4 1/2	74	2	2	1/8	1/8	1/8
R -185	3 1/2	4 1/2	74	1	2	—	1/8	1/8
R -612	3 9/16	4 1/2	74	1	2	1/8	1/8	1/8
R -725	3 5/8	4 1/2	74	1	2		1/8	1/8
R -66	4	4 1/2	74	1	2	—	1/8	3/8
R -310 **	4	4 1/2	74	2	2	1/8	1/8	7/16
R -212	5 1/2	4 1/2	74	1	2	1/8	1/8	1/8
R -655 (R6028) POLY	2	4 9/16	75	2	2	1/8	1/8	1/8
R -351	1 5/8	4 5/8	76	3	2	1/8	1/8	1/8
R -735	1 7/8	4 3/4	80	2	2	1/4	1/8	1/16
R -590 *	2	4 3/4	78	3	2	1/8	1/8	1/8
R -6	2 1/4	4 3/4	40	1	1	—	1/4	3/16
R -6A	2 1/4	4 3/4	40	2	1	1/4	1/4	3/16
R -722	2 1/4	4 3/4	40	2	1	1/8	1/4	1/8
R -429	2 1/2	4 3/4	78	1	2	----	1/8	1/8
R -770	3 1/8	4 3/4	78	1	2	--	1/8	1/8
R -469 *	3 1/8	4 3/4	78	2	2	1/8	1/8	1/8
R -756	3 1/2	4 3/4	80	1	2	--	1/4	1/8
R -53	4 25/32	4 3/4	39	1	1	—	1/8	3/16
R -758	1 7/8	4 7/8	80	1	2	--	1/8	1/16
R -35 Paper Only	1 7/8	4 7/8	40	2	1	1/4	1/8	1/8
R -16	2	4 7/8	40	2	1	1/8	1/8	1/8
R -286	2 7/8	4 7/8	40	1	1	—	1/8	1/8
R -557	2 7/8	4 7/8	80	2	2	1/8	1/8	1/8
R -620 **	2 7/8	4 7/8	80	2	2	1/8	1/8	1/8
R -191 *	3 1/4	4 7/8	80	2	2	1/8	1/8	1/8
R -470	3 1/2	4 7/8	80	1	2		1/8	1/8
R -115	4	4 7/8	80	1	2	—	1/8	1/8
R -152	5	4 7/8	40	1	1	—	1/8	1/8
R -746 * #40 liner	6 1/2	4 7/8	81	1	2	--	3/16	1/8
R -342 **	8 1/2	4 7/8	80	1	2	1/8	1/8	
R -535	1 5/16	5	82	3	2	1/8	1/8	1/8

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -306		2 1/4	5	82	2	2	1/8	1/8	1/8
R -443	Tyvek Only	2 1/4	5	82	2	2	1/8	1/8	1/8
R -451		2 1/4	5	82	2	2	1/8	1/8	1/8
R -150		2 5/8	5	42	2	1	1/8	1/4	1/8
R -160		2 5/8	5	84	2	2	1/8	1/4	1/16
R -420		2 5/8	5	84	2	2	1/8	1/4	1/16
R -88		3	5	41	1	1	—	1/8	1/8
R -329		3	5	41	2	1	1/8	1/8	1/8
R -784	Laminated Poly	3	5	82	2	2	1/8	1/8	1/8
R -601		3 1/8	5	82	1	2	1/8	1/8	1/8
R -503		3 1/4	5	82	1	2		1/8	1/8
R -646	*	3 1/4	5	82	2	2	1/8	1/8	1/8
R -582	**	3 1/2	5	82	2	2	1/8	1/8	1/16
R -624		4	5	82	1	2	1/8	1/8	1/8
R -316		5 1/8	5	82	1	2	—	1/8	1/8
R -458	*	6 7/8	5	82	1	2		1/8	1/8
R -417		2	5 1/16	84	2	2	1/8	3/16	
R -781		2 1/2	5 1/16	84	2	2	1/8	3/16	1/8
R -661	***	3 5/8	5 1/8	84	2	2	1/8	1/8	1/8
R -56		3 3/4	5 1/8	42	1	1	—	1/8	1/8
R -301		1/4	5 1/4	44	5	1	1/8	1/4	1/16
R -8		1 3/8	5 1/4	43	1	1	—	1/8	1/8
R -214		1 9/16	5 1/4	43	2	1	1/8	1/8	1/8
R -605		3	5 1/4	86	2	2	1/8	1/8	1/8
R -695	#40 LINER	3 1/4	5 1/4	43	1	1	--	1/8	3/16
R -180	Heavy Liner	1 15/16	5 3/8	44	1	1	—	1/8	1/8
R -795	(R6341)	2	5 3/8	88	2	2	1/8	1/8	1/8
R -DVL	R18-2	2	5 3/8	44	3	1	1/8	1/8	1/8
R -464	*	2 1/4	5 3/8	88	3	2	1/8	1/8	1/8
R -464	** Flex	2 1/4	5 3/8	88	3	2	1/8	1/8	1/8
R -289		2 3/8	5 3/8	44	1	1	—	1/8	1/8
R -298		2 1/2	5 3/8	88	2	2	1/8	1/8	1/8
R -296		3	5 3/8	88	2	2	1/8	1/8	1/8
R -37	Manual Disp.	3 3/8	5 3/8	44	1	1	—	1/8	1/8
R -431	Auto Disp.	3 3/8	5 3/8	44	1	1	---	1/8	1/8
R -511	*	3 3/8	5 3/8	88	2	2	1/8	1/8	1/8
R -513		3 5/8	5 3/8	88	1	2		1/8	1/8
R -413	(RC51)	6	5 3/8	88	1	2	---	1/8	
R -672		1 9/16	5 7/16	87	3	2	1/8	1/8	1/8

(All Specs Are in Inches) #Approx Size *7.5" Press **10" Press ***13" Press Jul 3, 2015

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -122		2	5 7/16	44	2	1	1/8	1/16	1/8
R -558		3/8	5 1/2	45	3	1	1/8	1/8	1/8
R -435		1 3/8	5 1/2	90	3	2	1/8	1/8	1/8
R -239	Not Available	4 7/8	5 1/2	90	2	2	1/8	1/8	1/8
R -789**		3 1/2	5 1/2	90	2	2	1/8	1/8	1/8
R -63		3 7/8	5 1/2	45	1	1	—	1/8	1/8
R -591		5	5 1/2	90	1	2		1/8	1/8
R -673		2 1/8	5 5/8	46	1	1	1/8	1/8	1/8
R -528 *		2 1/8	5 5/8	92	3	2	1/8	1/8	1/8
R -135		3 15/16	5 5/8#	48	1	1	—	3/8#	5/32
R -570 ***		4 3/4	5 5/8	138	2	3	1/8	1/8	1/8
R -777		5 3/4	5 5/8	92	1	2		1/8	1/8
R -538		1	5 3/4	48	3	1	1/8	1/4	1/8
R -246		3 15/16	5 3/4	48	1	1	—	1/4	1/8
R -396	(RC35)	4 1/2	5 3/4	48	1	1	---	1/4	
R -450		5	5 3/4	48	1	1	---	1/4	
R -780 **		5	5 3/4	96	1	2		1/8	1/8
R -721		1 1/2	5 7/8	49	3	1	1/8	1/4	1/16
R -80		1 3/4	5 7/8	48	3	1	1/8	1/8	1/8
R -778 **		1 7/8	5 7/8	96	3	2	1/8	1/8	3/32
R -530		2 1/2	5 7/8	96	2	2	1/8	1/8	1/8
R -585		2 5/8	5 7/8	48	2	1	1/8	1/8	1/8
R -753		2 3/4	5 7/8	48	1	1	--	1/8	1/8
R -193		3	5 7/8	48	1	1	—	1/8	1/8
R -189		3	5 7/8	48	2	1	1/8	1/8	1/8
R -793**	Maple leaf	3	5 7/8	96	3	2	1/8	1/8	1/8
R -DVL *	R-7	3 3/4	5 7/8	48	1	1		1/8	1/8
R -630 **		3 3/4	5 7/8	96	2	2	1/8	1/8	5/16
R -17		3 7/8	5 7/8	48	1	1	—	1/8	1/8
R -568	Poly Only	3 7/8	5 7/8	48	1	1		1/8	1/8
R -736		3 7/8	5 7/8	48	1	1	--	1/8	1/8
R -285		4 1/2	5 7/8	48	1	1	—	1/8	1/8
R -299		5 1/2	5 7/8	48	1	1	1/8	1/8	1/8
R -656	(R6367)	1 3/4	5 15/16	50	1	1	---	5/16	1/8
R -771	# 40 LINER	1 3/4	5 15/16	50	1	1	--	5/16	1/8
R -693	#40 LINER	1 3/4	5 15/16	50	2	1	1/8	5/16	1/8
R -739		1 3/4	5 15/16	49	2	1	1/8	3/16	1/8
R -669	#40 LINER	1 3/4	6	50	3	1	1/8	1/4	1/8
R -188		1 13/16	6	49	3	1	1/8	1/8	1/8

Die #	“AC	“AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -782	2	6	98	2	2	1/8	1/8	1/8
R -344	2 1/4	6	98	2	2	1/8	1/8	1/8
R -636	2 3/8	6	49	2	1	1/8	1/8	1/8
R -145	3 1/2	6	49	1	1	—	1/8	1/8
R -272 **	3 1/2	6	98	2	2	1/8	1/8	1/8
R -790**	3 1/2	6	98	2	2	1/8	1/8	1/2
R -72	4	6	49	1	1	—	1/8	1/32
R -648 **	4	6	98	2	2	1/8	1/8	1/8
R -608	4 1/4	6	98	1	2	1/8	1/8	1/8
R -DVL * A10	5	6	49	1	1		1/8	1/8
R -544	6	6	98	1	2	--	1/8	1/4
R -526 ***	6	6	98	2	2	1/8	1/8	1/8
R -743	2 1/8	6 1/16	50	1	1	--	3/16	1/8
R -106	2 3/4	6 1/8	50	2	1	1/8	1/8	1/8
R -741	3	6 1/8	50	1	1	--	1/8	9/32
R -411 (RC49)	4 5/8	6 1/8	50	1	1	---	1/8	
R -709	4 5/8	6 1/8	50	1	1	--	1/8	1/8
R -445	1 1/2	6 1/4	51	3	1	1/8	1/8	1/8
R -689	2	6 1/4	52	1	1	--	1/4	1/8
R -692 poly #40 liner	2	6 1/4	51	2	1	1/8	1/8	1/8
R -704	2	6 1/4	52	2	1	1/8	1/4	1/8
R -659 *	2 1/4	6 1/4	51	3	1	1/8	1/8	1/8
R -738	2 3/8	6 1/4	51	2	1	1/8	1/8	1/8
R -288 *	3	6 3/8	52	2	1	1/8	1/8	1/8
R -742	2 3/16	6 7/16	53	2	1	1/8	3/16	1/8
R -545 Sent to	3/4	6 1/2	53	3	1	1/8	1/8	1/16
R -723	1 1/4	6 1/2	54	2	1	1/8	1/4	1/8
R -683	2	6 1/2	106	2	2	1/8	1/8	1/8
R -610	2 5/32	6 1/2	53	2	1	1/8	1/8	1/8
R -748	2 3/16	6 1/2	54	2	1	1/8	1/4	1.8
R -119	2 3/8	6 1/2	54	2	1	1/8	1/4	1/8
R -694	2 1/2	6 1/2	54	1	1	--	1/4	1/8
R -775 *	3 1/4	6 1/2	53	2	1	1/8	1/8	1/8
R -606	3 3/4	6 1/2	106	1	2	1/8	1/8	1/8
R -118 Paper Only	4	6 1/2	53	1	1	—	1/8	1/64
R -574	4	6 1/2	53	1	1		1/8	1/64
R -797**	4	6 1/2	53	2	1	1/8	1/8	1/8
R -561	5	6 1/2	53	1	1		1/8	1/8
R -481 No Gap	6	6 1/2	52	1	1			1/8

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -527		1 3/8	6 5/8	54	4	1	1/8	1/8	1/8
R -680	poly #40 liner	2 3/8	6 5/8	54	1	1	--	1/8	1/8
R -361		2 3/8	6 5/8	54	2	1	1/8	1/8	1/8
R -724		2 3/8	6 5/8	54	2	1	--	1/8	1/8
R -290		3 1/2	6 5/8	54	1	1	—	1/8	1/8
R -621	**	3 1/2	6 5/8	108	2	2	1/8	1/8	1/8
R -705		2 1/4	6 11/16	55	2	1	1/8	3/16	1/8
R -DVL	* R3F	2 3/8	6 11/16	55	3	1	1/8	3/16	1/8
R -719		2 3/4	6 11/16	55	1	1	--	3/16	1/8
R -455		3 3/4	6 11/16	55	1	1		3/16	3/16
R -179		1	6 3/4	55	3	1	1/8	1/8	1/8
R -576		2 1/2	6 3/4	55	2	1	1/8	1/8	1/8
R -760		2 1/2	6 3/4	55	2	1	1/8	1/8	1/8
R -776	* Winning	4 1/2	6 3/4	56	1	1		1/4	1/8
R -587	***	4 1/2	6 3/4	112	2	2	1/8	1/4	1/8
R -261		5	6 3/4	55	1	1	—	1/8	1/8
R -379	(RC16)	5	6 3/4	55	1	1	---	1/8	
R -390	(RC27)	5 1/2	6 3/4	55	1	1	---	1/8	
R -423	*	2 1/8	6 7/8	56	3	1	1/8	1/8	1/8
R -221		2 5/16	6 7/8	56	2	1	1/8	1/8	1/8
R -652	(R6260)	2 3/8	6 7/8	56	2	1	1/8	1/8	1/8
R -159		2 7/16	6 7/8	56	1	1	—	1/8	1/8
R -253		2 3/4	6 7/8	56	2	1	1/8	1/8	1/8
R -388	(RC25)	2 3/4	6 7/8	56	2	1	1/8	1/8	
R -174		3	6 7/8	56	2	1	1/8	1/8	1/8
R -534	*	3 1/16	6 7/8	56	2	1	1/8	1/8	1/8
R -70		4	6 7/8	56	1	1	—	1/8	1/8
R -485		4 5/8	6 7/8	56	1	1		1/8	1/8
R -583	**	4 3/4	6 7/8	112	1	2		1/8	1/8
R -32		5	6 7/8	56	1	1	—	1/8	1/8
R -627	Film Liner	5	6 7/8	56	1	1	1/8	1/8	1/8
R -262		6	6 7/8	56	1	1	—	1/8	1/8
R -380	(RC17)	6	6 7/8	56	1	1	---	1/8	
R -729		6	6 7/8	56	1	1	--	1/8	1/8
R -240		2 3/4	6 15/16	56	2	1	1/8	1/16	1/8
R -471		2 1/2	7	57	1	1		1/8	1/16
R -671	POLY#40	2 3/4	7	57	2	1	1/8	1/8	1/8
R -733		3	7	57	2	1	1/8	1/8	1/8
R -596		4	7	57	1	1		1/8	1/8

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -803		5	7	57	1	1		1/8	1/8
R -663		6	7	57	1	1	1/8	1/8	1/8
R -343		2 3/4	7 1/8	58	2	1	1/8	1/8	1/8
R -684	#40 LINER	5 3/4	7 1/8	58	1	1	--	1/8	1/8
R -68		2 1/8	7 3/16	58	1	1	—	1/16	1/8
R -708		2 1/4	7 3/16	60	1	1	--	5/16	1/8
R -682		2 1/4	7 3/16	59	2	1	1/8	3/16	1/8
R -428		3	7 3/16	59	1	1	----	3/16	5/64
R -678	#40 liner	7/8	7 1/4	59	3	1	1/8	1/8	1/8
R -199		1 7/8	7 1/4	59	3	1	1/8	1/8	1/8
R -626	Film Liner	1 7/8	7 1/4	59	3	1	1/8	1/8	1/8
R -632	**	2 7/8	7 1/4	120	2	2	1/8	1/4	1/8
R -542		4 5/8	7 1/4	60	1	1	--	1/4	1/8
R -616		5 3/4	7 5/16	60	1	1		3/16	1/8
R -696		2 1/4	7 3/8	60	2	1	1/8	1/8	1/8
R -687		2 1/2	7 3/8	61	1	1	--	1/4	1/8
R -213		2 1/2	7 3/8	60	2	1	1/8	1/8	1/8
R -517	*	3	7 3/8	60	2	1	1/8	1/8	1/8
R -338		4	7 3/8	60	1	1	1/8	1/8	1/8
R -439	**	7 1/4	7 3/8	60	1	1	----	1/8	1/16
R -762		1	7 1/2	61	3	1	1/8	1/8	1/8
R -456		2 3/8	7 1/2	61	2	1	1/8	1/8	1/8
R -575	**	2 3/8	7 1/2	61	3	1	1/8	1/8	1/8
R -690		2 1/2	7 1/2	61	2	1	1/8	1/8	1/8
R -241		2 5/8	7 1/2	61	1	1	—	1/8	1/8
R -321		2 3/4	7 1/2	61	2	1	1/8	1/8	1/8
R -158		3 1/2	7 1/2	61	1	1	—	1/8	1/8
R -649		3 7/8	7 1/2	61	1	1	---	1/8	1/8
R -504	*** See R-594	2 1/8	7 5/8	128	5	2	1/8	3/8	1/16
R -594	*** ETI Flex	2 1/8	7 5/8	128	5	2	1/8	3/8	1/16
R -436		5 5/8	7 5/8	62	1	1	---	1/8	1/8
R -686	poly #40	1 7/8	7 11/16	63	2	1	1/8	3/16	1/8
R -278		1 7/8	7 11/16	63	3	1	1/8	3/16	1/8
R -666		2 1/4	7 3/4	63	2	1	1/8	1/8	1/8
R -186		2 3/8	7 3/4	63	2	1	1/8	1/8	1/8
R -334		2 3/4	7 3/4	63	2	1	1/8	1/8	1/8
R -697		3 1/8	7 3/4	63	1	1	--	1/8	1/8
R -580		4 3/4	7 3/4	63	1	1		1/8	1/8
R -674		2 11/16	7 13/16	64	1	1	3/16	--	1/8

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -737		2 11/16	7 13/16	64	2	1	1/8	3/16	1/8
R -430		1 1/2	7 7/8	64	2	1	1/8	1/8	1/8
R -200		1 7/8	7 7/8	64	3	1	1/8	1/8	1/8
R -295		2 1/8	7 7/8	64	2	1	1/8	1/8	1/8
R -752		2 1/8	7 7/8	64	2	1	1/8	1/8	1/8
R -353	*	2 1/8	7 7/8	64	3	1	1/8	1/8	1/8
R -510	**	2 1/8	7 7/8	64	3	1	1/8	1/8	1/8
R -653	(R6370)	2 9/32#	7 7/8#	64	2	1	1/8	1/8	1/8
R -726		2 7/16	7 7/8	64	1	1	--	1/8	1/8
R -679	#40 liner	2 7/16	7 7/8	64	2	1	1/8	--	1/8
R -467		2 3/4	7 7/8	64	2	1	1/8	1/8	1/8
R -44	Paper Material	3	7 7/8	64	2	1	1/8	1/8	1/8
R -313	Thicker	3	7 7/8	64	2	1	1/8	1/8	1/8
R -397	(RC34)	3	7 7/8	64	2	1	1/8	1/8	
R -198	*	3 1/2	7 7/8	64	2	1	1/8	1/8	1/8
R -592	*** ETI Flex	3 1/2	7 7/8	128	2	2		1/8	1/8
R -418	**	3 3/4	7 7/8	64	2	1	1/8	1/8	1/8
R -347	**	4 1/8	7 7/8	64	2	1	1/8	1/8	1/8
R -477	**	7 3/4	7 7/8	64	1	1		1/8	1/8
R -102		1 1/2	8	65	2	1	1/8	1/8	1/8
R -675		2 3/4	8	65	2	1	1/8	1/8	1/8
R -754	.	3	8	65	2	1	1/8	1/8	1/8
R -475		4	8	65	1	1		1/8	1/8
R -609		5 1/4	8	65	1	1	1/8	1/8	1/8
R -670	#40 LINER	2 3/4	8 1/8	66	2	1	1/8	1/8	1/8
R -170		3	8 1/8	66	2	1	1/8	1/8	1/8
R -750		3 1/2	8 1/8	66	1	1	--	1/8	1/8
R -287		4 1/2	8 1/8	66	1	1	—	1/8	1/8
R -476	**	4 1/2	8 1/8	66	2	1	1/8	1/8	1/8
R -800	backup for R	4 1/2	8 1/8	66	2	1	1/8	1/8	1/8
R -728		4 5/8	8 1/8	66	1	1	--	1/8	1/8
R -787		5	8 1/8	66	1	1	---	1/8	1/8
R -163		5 1/2	8 1/8	66	1	1	—	1/8	1/8
R -52		1 15/16	8 3/16	66	2	1	1/8	1/16	1/8
R -243		1 1/4	8 3/8	68	3	1	1/8	1/8	1/8
R -543		2 3/8	8 3/8	68	2	1	1/8	1/8	1/8
R -175		4	8 3/8	68	1	1	—	1/8	1/8
R -588		5	8 3/8	68	1	1		1/8	1/8
R -779		5 1/2	8 1/2	69	1	1		1/8	1/8

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -584	**	2 15/16	8 5/8	70	2	1	1/8	1/8	1/8
R -773	**	3 3/4	8 5/8	70	2	1	1/8	1/8	1/8
R -54	*	1 9/16	8 3/4	71	3	1	1/8	1/8	1/8
R -677	poly #40 liner	3 7/16	8 3/4	72	1	1	--	1/4	1/8
R -667	Poly #40 Liner	4	8 3/4	71	1	1	---	1/8	1/8
R -715		23/4	8 3/4	74	1	1	--	1/2	1/8
R -507		1 7/8	8 13/16	72	3	1	1/8	3/16	1/8
R -757		2 3/4	8 7/8	72	2	1	1/8	1/8	1/8
R -731		3	8 7/8	72	1	1	--	1/8	1/8
R -786		4	8 7/8	72	1	1	1/8	1/8	1/8
R -577		6	8 7/8	72	1	1	1/8	1/8	1/8
R -190	*	6 1/2	8 7/8	72	1	1	—	1/8	1/8
R -625	**	7 1/4	8 7/8	72	1	1		1/8	1/8
R -730		2 1/8	8 15/16	73	2	1	1/8	3/16	1/8
R -355		2 1/4	9	74	1	1	---	1/4	1/64
R -494*		3 1/4	9	74	2	1	1/8	1/4	1/8
R -676	#40 LINER	3 5/8	9	73	1	1	--	1/8	1/8
R -586		4	9	73	1	1		1/8	1/8
R -662	Use 74T cyl	5 1/2	9 1/8	148	2	2	1/8	1/8	1/8
R -335		2 7/8	9 1/4	75	2	1	1/8	1/8	1/8
R -473		3 1/2	9 1/4	75	1	1	1/8	1/8	1/8
R -197		3 3/4	9 3/8	76	1	1	—	1/8	1/8
R -650		4 3/8	9 3/8	76	1	1	----	1/8	1/8
R -349		3 5/8	9 1/2	78	1	1	----	1/4	1/8
R -798**		4 1/4	9 1/2	77	2	1	1/8	1/5	1/8
R -201		2 7/8	9 5/8	78	2	1	1/8	1/8	1/8
R -654	(R6312)	3 9/16	9 5/8	78	1	1	---	1/8	1/8
R -734		2 3/4	9 3/4	79	2	1	1/8	1/8	1/8
R -700		4	9 3/4	80	1	1	--	1/4	1/8
R -523		1/4	9 7/8	80	2	1	1/8	1/8	1/16
R -487		1 1/4	9 7/8	80	4	1	1/8	1/8	1/64
R -508		2	9 7/8	80	3	1	1/8	1/8	1/8
R -651		2 1/8	9 7/8	80	2	1	1/8	1/8	1/8
R -783	*	3	9 7/8	80	2	1	1/8	1/8	1/8
R -330	Out See	3 3/4	9 7/8	80	1	1	—	1/8	1/8
R -493	**	3 15/16	9 7/8	80	2	1	1/8	1/8	1/8
R -57		4 5/8	9 7/8	80	1	1	—	1/8	1/8
R -633	***	4 7/8	9 7/8	80	2	1	1/8	1/8	1/8
R -354		4	9 15/16	81	1	1	---	3/16	1/8

(All Specs Are in Inches) #Approx Size *7.5" Press **10" Press ***13" Press Jul 3, 2015

Die #		"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -665		5 1/4	10.0	81	1	1	o	1/8	1/1
R -362	*	7 1/16	10 1/16	82	1	1	----	3/16	1/8
R -254		4	10 1/8	82	1	1	—	1/8	1/8
R -294	**	5 1/4	10 1/8	82	1	1	—	1/8	1/8
R -641	**	7 1/4	10 1/4	83	1	1		1/8	1/8
R -486		2 1/2	10 3/8	84	2	1		1/8	1/8
R -DVL	a11 Die-Dom.	5	10 3/8	84	1	1	----	1/8	1/8
R -566		5	10 3/8	84	1	1		1/8	1/8
R -755		5 7/8	10 3/8	84	1	1	--	1/8	1/8
R -424		1	10 1/2	85	2	1	1/8	1/8	1/8
R -187		3 3/4	10 1/2	85	1	1	—	1/8	1/8
R -488		1 3/4	10 5/8	86	3	1	1/8	1/8	1/64
R -359		4 1/8	10 3/4	87	1	1	1/8	1/8	1/8
R -202		2 7/8	10 7/8	88	2	1	1/8	1/8	1/8
R -551	** Proph Flex	3	10 7/8	88	3	1	1/8	1/8	1/8
R -92	*	3 1/8	10 7/8	88	2	1	1/8	1/8	1/8
R -234		4 3/16	10 7/8	88	1	1	—	1/8	1/8
R -796**	Proph flex	4 3/16	10 7/8	88	2	1	1/8	1/8	1/8
R -196		5	10 7/8	88	1	1	—	1/8	1/8
R -463		5 1/2	10 7/8	88	1	1		1/8	1/8
R -154		6 1/4	10 7/8	88	1	1	—	1/8	1/8
R -560	*	3 1/16	11 3/8	92	2	1	1/8	1/8	1/16
R -634		2 5/8	11 7/8	96	2	1	1/8	1/8	1/8
R -559		3	11 7/8	96	1	1		1/8	1/8
R -607		4	12	97	1	1	1/8	1/8	1/8
R -772	**	4	12	97	2	1	1/8	1/8	1/8
R -638	***	12	12	98	1	1		1/4	1/8
R -427		3 3/4	12 1/8	98	1	1			1/8
R -597	***	4 3/4	12 1/8	98	2	1	1/8	1/8	1/8
R -664	***	3	12 7/8	104	3	1	1/8	1/8	1/8
R -472		2 15/16	13 7/8	112	2	1	1/8	1/8	1/8
R -637	**	4	13 7/8	112	2	1	1/8	1/8	1/8
R -802**		2 15/16	14 1/4	115	3	1	1/8	1/8	1/8
R -360		2 3/8	14 3/4	119	2	1	1/8	1/8	1/8
R -533	**	3 1/4	14 3/4	120	2	1	1/8	1/4	1/8
R -309	*	5	14 7/8	120	1	1	—	1/8	1/8
R -611	**	4 1/4	15 1/8	122	2	1	1/8	1/8	1/8
R -215	**	1	16.535	134	6	1	1/8	.215	1/8
R -416	* Cust. has Die	6 1/2	17	138	1	1	---	1/4	

(All Specs Are in Inches) #Approx Size *7.5" Press **10" Press ***13" Press Jul 3, 2015

Die #	"AC	"AR	Teeth	#AC	#AR	Gap AC	Gap AR	Corners
R -512 **	6 1/2	17	138	1	1		1/4	1/8
R -480	5 1/4	17 1/8	139	1	1		1/4	1/8
R -363	4 3/4	17 1/4	139	1	1	-----	1/8	1/8
R -499 ***	5 1/4	18 1/8	146	2	1	1/8	1/8	1/8
R -497 ***	5 1/2	18 1/8	146	2	1	1/8	1/8	1/8
R -554 **	7 3/4	23 7/8	192	1	1	1/8	1/8	1/8